

| <u>DB Name</u> | <u>Query</u> | <u>Hit Count</u> | <u>Set Name</u> |
|----------------|---|------------------|-----------------|
| USPT | L18 and (receiv\$3 near2 run-time) | 0 | <u>L20</u> |
| USPT | L18 and (run-time adj handler\$1) | 0 | <u>L19</u> |
| USPT | L17 and ((creat\$3 or construct\$3 or generat\$3) near3 template\$1) | 18 | <u>L18</u> |
| USPT | 707/523 | 253 | <u>L17</u> |
| USPT | L2 and (run-time near handler\$1) | 0 | <u>L16</u> |
| USPT | L2 and (run-time adj handler\$1) | 0 | <u>L15</u> |
| USPT | L2 and ((stor\$3 adj template\$1) near2 reference\$1) | 0 | <u>L14</u> |
| USPT | L2 and browser adj software | 2 | <u>L13</u> |
| USPT | L2 and ((browser adj software) and template adj deposit\$3) | 0 | <u>L12</u> |
| USPT | L2 and (execut\$3 near application) | 2 | <u>L11</u> |
| USPT | L2 and (dictionar\$3 and reference\$1) | 4 | <u>L10</u> |
| USPT | L2 and (determin\$3 near2 (dictionar\$3 and reference\$1)) | 0 | <u>L9</u> |
| USPT | ((register\$3 near2 reference\$1) same dictionary same run-time) | 0 | <u>L8</u> |
| USPT | L2 and register\$3 near reference\$1 | 0 | <u>L7</u> |
| USPT | L2 and (register\$3 near reference\$1 with dictionary) | 0 | <u>L6</u> |
| USPT | 5860073.pn. | 1 | <u>L5</u> |
| USPT | L2 and (templat\$ near2 (reference\$1 or token\$1)) | 2 | <u>L4</u> |
| USPT | L2 and (templat\$ near2 (reference\$1 or token\$1) with (specif\$3 or determin\$3)) | 0 | <u>L3</u> |
| USPT | L1 and ((creat\$3 or construct\$3 or generat\$3) near3 template\$1) | 26 | <u>L2</u> |
| USPT | 707/522 | 203 | <u>L1</u> |

59/256, 845

WEST[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#) [Search Form](#) [Posting Counts](#) [Show S Numbers](#) [Edit S Numbers](#) [Preferences](#)**Search Results -**

| Terms | Documents |
|-----------------------------------|---------------------------|
| L32 and ((back-end) adj database) | 0 |

Database:

- [US Patents Full-Text Database](#)
- [US Pre-Grant Publication Full-Text Database](#)
- [JPO Abstracts Database](#)
- [EPO Abstracts Database](#)
- [Derwent World Patents Index](#)
- [IBM Technical Disclosure Bulletins](#)

[Refine Search:](#)

Search History

Today's Date: 1/17/2002

| <u>DB Name</u> | <u>Query</u> | <u>Hit Count</u> | <u>Set Name</u> |
|----------------|--|------------------|---------------------|
| USPT | L32 and ((back-end) adj database) | 0 | L37 |
| USPT | L32 and L28 | 31 | L36 |
| USPT | L32 and ((creat\$3 or generat\$3) adj template\$1 adj hav\$3 adj reference\$1) | 0 | L35 |
| USPT | L32 and ((creat\$3 or generat\$3) adj template\$1 adj hav\$3 reference\$1) | 443 | L34 |
| USPT | L32 and L2 | 6 | L33 |
| USPT | 707/526 | 478 | L32 |
| USPT | L28 and L11 | 1 | L31 |
| USPT | L28 and L4 | 0 | L30 |
| USPT | L28 and L18 | 1 | L29 |
| USPT | (run-time)or (run adj time) | 11408 | L28 |
| USPT | L17 and ((back-end) adj database) | 0 | L27 |
| USPT | L17 and (back-end adj database) | 0 | L26 |

| | | | |
|------|---|---------|------------|
| USPT | L17 and (stor\$3 adj template\$1 same (back-end adj database)) | 0 | <u>L25</u> |
| USPT | L17 and (register\$3 near2 reference\$1 with template\$1) | 0 | <u>L24</u> |
| USPT | ((creat\$3 or generat\$3) adj template\$1 adj hav\$3 adj reference\$1) | 0 | <u>L23</u> |
| USPT | ((creat\$3 or generat\$3) adj template\$1 adj hav\$3 reference\$1) | 2000958 | <u>L22</u> |
| USPT | 6055522.pn. | 1 | <u>L21</u> |
| USPT | L18 and (receiv\$3 near2 run-time) | 0 | <u>L20</u> |
| USPT | L18 and (run-time adj handler\$1) | 0 | <u>L19</u> |
| USPT | L17 and ((creat\$3 or construct\$3 or generat\$3) near3 template\$1) | 18 | <u>L18</u> |
| USPT | 707/523 | 253 | <u>L17</u> |
| USPT | L2 and (run-time near handler\$1) | 0 | <u>L16</u> |
| USPT | L2 and (run-time adj handler\$1) | 0 | <u>L15</u> |
| USPT | L2 and ((stor\$3 adj template\$1) near2 reference\$1) | 0 | <u>L14</u> |
| USPT | L2 and browser adj software | 2 | <u>L13</u> |
| USPT | L2 and ((browser adj software) and template adj deposit\$3) | 0 | <u>L12</u> |
| USPT | L2 and (execut\$3 near application) | 2 | <u>L11</u> |
| USPT | L2 and (dictionar\$3 and reference\$1) | 4 | <u>L10</u> |
| USPT | L2 and (determin\$3 near2 (dictionar\$3 and reference\$1)) | 0 | <u>L9</u> |
| USPT | ((register\$3 near2 reference\$1) same dictionary same run-time) | 0 | <u>L8</u> |
| USPT | L2 and register\$3 near reference\$1 | 0 | <u>L7</u> |
| USPT | L2 and (register\$3 near reference\$1 with dictionary) | 0 | <u>L6</u> |
| USPT | 5860073.pn. | 1 | <u>L5</u> |
| USPT | L2 and (templat\$ near2 (reference\$1 or token\$1)) | 2 | <u>L4</u> |
| USPT | L2 and (templat\$ near2 (reference\$1 or token\$1) with (specif\$3 or determin\$3)) | 0 | <u>L3</u> |
| USPT | L1 and ((creat\$3 or construct\$3 or generat\$3) near3 template\$1) | 26 | <u>L2</u> |
| USPT | 707/522 | 203 | <u>L1</u> |

| | | | |
|------|---|---------|------------|
| USPT | L17 and (stor\$3 adj template\$1 same (back-end adj database)) | 0 | <u>L25</u> |
| USPT | L17 and (register\$3 near2 reference\$1 with template\$1) | 0 | <u>L24</u> |
| USPT | ((creat\$3 or generat\$3) adj template\$1 adj hav\$3 adj reference\$1) | 0 | <u>L23</u> |
| USPT | ((creat\$3 or generat\$3) adj template\$1 adj hav\$3 reference\$1) | 2000958 | <u>L22</u> |
| USPT | 6055522.pn. | 1 | <u>L21</u> |
| USPT | L18 and (receiv\$3 near2 run-time) | 0 | <u>L20</u> |
| USPT | L18 and (run-time adj handler\$1) | 0 | <u>L19</u> |
| USPT | L17 and ((creat\$3 or construct\$3 or generat\$3) near3 template\$1) | 18 | <u>L18</u> |
| USPT | 707/523 | 253 | <u>L17</u> |
| USPT | L2 and (run-time near handler\$1) | 0 | <u>L16</u> |
| USPT | L2 and (run-time adj handler\$1) | 0 | <u>L15</u> |
| USPT | L2 and ((stor\$3 adj template\$1) near2 reference\$1) | 0 | <u>L14</u> |
| USPT | L2 and browser adj software | 2 | <u>L13</u> |
| USPT | L2 and ((browser adj software) and template adj deposit\$3) | 0 | <u>L12</u> |
| USPT | L2 and (execut\$3 near application) | 2 | <u>L11</u> |
| USPT | L2 and (dictionar\$3 and reference\$1) | 4 | <u>L10</u> |
| USPT | L2 and (determin\$3 near2 (dictionar\$3 and reference\$1)) | 0 | <u>L9</u> |
| USPT | ((register\$3 near2 reference\$1) same dictionary same run-time) | 0 | <u>L8</u> |
| USPT | L2 and register\$3 near reference\$1 | 0 | <u>L7</u> |
| USPT | L2 and (register\$3 near reference\$1 with dictionary) | 0 | <u>L6</u> |
| USPT | 5860073.pn. | 1 | <u>L5</u> |
| USPT | L2 and (templat\$ near2 (reference\$1 or token\$1)) | 2 | <u>L4</u> |
| USPT | L2 and (templat\$ near2 (reference\$1 or token\$1) with (specif\$3 or determin\$3)) | 0 | <u>L3</u> |
| USPT | L1 and ((creat\$3 or construct\$3 or generat\$3) near3 template\$1) | 26 | <u>L2</u> |
| USPT | 707/522 | 203 | <u>L1</u> |